

From: WASSON, TERESA ANN <wasson.teresa@cleanharbors.com>
Sent: Thursday, September 17, 2009 9:25 AM
To: Klarman, Steven C <Steven.Klarman@momentive.com>
Subject: RE: sample results

It should be C-11. I will get the lab to reissue the results.

Regards,
Teresa

From: Klarman, Steven C [mailto:Steven.Klarman@momentive.com]
Sent: Thursday, September 17, 2009 9:16 AM
To: WASSON, TERESA ANN
Subject: FW: sample results

Teresa,

This is the last report I got from AC&S. Only one sample location, E-11. We already had results for E-11. Do you know what sample this is? Is it really DD7? I don't think I have results for DD7? Also wondering if you sent GG6 from the cooler?

Steve

From: Rebecca Kiser [mailto:rkiser@acandsinc.com]
Sent: Friday, September 11, 2009 1:19 PM
To: 'WASSON, TERESA ANN'
Cc: Klarman, Steven C
Subject: sample results

Rebecca Kiser
AC&S, Inc.
Asst Laboratory Manager
P.O. Box 335
Nitro, WV 25143
phone: (304) 755-0536
fax: (304) 755-1982
email: rkiser@acandsinc.com

This message, including attached files, is confidential and intended for the addressees only. Any unauthorized use, dissemination of the information or copying of this message is strictly prohibited. Any views, opinions or conclusions expressed in this message are those of the individual sender and do not necessarily reflect the views of Momentive Performance Materials or its affiliates. If you received this message in error, please immediately advise the sender by reply email and delete all copies of this message. Thank you.

The information transmitted is intended only for the person or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon, this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact Clean Harbors Environmental Services at 781.792.5555 and delete the material from any computer.